



TEXO[®]
www.fasada.rs

IZJAVA O SVOJSTVIMA (DECLARATION OF PERFORMANCE)

DECLARATION OF PERFORMANCE

In accordance with Regulation (EU) 305/2011 (Construction Product Regulation)

No: DoP-CE Fasaplast STSN -0099/2022

1. The unique identification code of the product-type	Fasaplast STSN full and rajb		
2. Intended use or uses of the construction product in accordance with the applicable harmonised technical specification, as foressen by the manufacturer	Plasters based on potassium water glass, silicone additives and acrylic binder for outdoor and indoor use.		
3. Type, batch or serial number or any other element allowing identification of the construction product	Batch number and manufacture date are marked on the packing		
4. Name, registered trade name and contact address of the manufacturer	FASADA DOO Banovačka 66 22300 Stara Pazova, Srbija www.fasada.rs		
5. System of AVCP	System 4		
6. Technical specification	EN 998-1, EAD 040083-00-0404		
7. Declared performance:			
Adhesion to concrete substrate	≥0.5 MPa repture „B,,	EN 1542-12	EN 998-1:2003
Water vapur permeability, diffusion coefficient resistance-μ	≥20.6	EN I1015-19	EN 998-1:2003
Reaction to fire ETICS MW (klasa)	A2-S1,d0	EN 13238	EAD 040083-00-0404
Reaction to fire ETICS	B-s1, d0	EN 13238	EAD 040083-00-0404



TEXO[®]
www.fasada.rs

IZJAVA O SVOJSTVIMA
(DECLARATION OF PERFORMANCE)

EPS (klasa)			
Thermal resistance ((m ² ·K)/W)	0.02	EN 1745:2002	EN 15824:2012

8. Product is also component of external thermal insulation composite system with plaster

Texotherm EPS,ETA-23/460 -Test Institute for Construction Prague,No1020

Texotherm EPS,ETA-23/461-Test Institute for Construction Prague, No1020

9. The performance of the product identified in points 1 and 2 is in conformity with the declared performance in point 7.

The manufacturer listed in point 4 is solely responsible for issuing the declaration of properties. The declaration of performance is issued, in accordance with Regulation (EU) No 305/2011, under the sole responsibility of the manufacturer identified above

Signed statement on behalf of the manufacturer



Radmila Jankovic

Enginer in the area of quality control and product development

In Stara Pazova, 22.04.2025

CE



TEXO[®]
www.fasada.rs

IZJAVA O SVOJSTVIMA
(DECLARATION OF PERFORMANCE)

CE

FASADA d.o.o.
Banovačka 66, 22300 Stara Pazova
Srbija

23

Certificate of constancy performance
No.1020-CPR-020048333

Certificate of constancy performance
No.1020-CPR-020048332

ETA 23/0461

ETA 23/0460

TEXOTHERM MW

TEXOTHERM EPS

EAD 040083-00-0404

EN 998-1

Unique identification code of product: Fasaplast STSN
Declaration of performance No: 0099/2022

Fasaplast STSN

Plasters based on potassium water glass, silicone additives and acrylic binder for outdoor and indoor use. Fasaplast it is certified for use in the External Thermal Insulation System (ETICS) Texotherm EPS and Texotherm MW.

Adhesion to concrete substrate	≥ 0.5 MPa „B,,
Water vapour permeability, diffusion coefficient resistance-μ	≥ 38
Thermal resistance, Retics [(m ² ·K)/W]	≥1.00
Thermal resistance, Rrender [(m ² ·K)/W]	0.02
Reaction to fire ETICS MW (klasa):	A2-s1, d0
Reaction to fire ETICS EPS (klasa):	B-s1, d0